

WHAT IS CLAIMED IS:

1. A communication system, comprising:
a controlled device for managing an operation
panel having a plurality of display elements
5 corresponding to predetermined operations;
a controller for accepting an operation for said
operation panel supplied by said controlled device; and
an operation apparatus having a first operation
unit for operating said operation panel and a second
operation unit for specifying a specific operation,
10 wherein said controller transmits a first control
signal indicating that any of said display element has
been operated on the basis of an operation for said
first operation unit to said controlled device and
15 transmits a second control signal for specifying any of
said specific operations on the basis of an operation
for said second operation unit to said controlled
device.
- 20 2. A system according to claim 1, wherein said
operation panel has a hierarchical data structure and
said display element has at least one of image data and
text data.
- 25 3. A system according to claim 1, wherein said
controller moves a cursor displayed on said display
panel on the basis of the operation for said first

106220 "95/25/95
Bull

operation unit.

4. A system according to claim 1, wherein said controller accepts the operation for said second operation unit even if said display panel is not displayed.

5. A system according to claim 1, wherein said controlled device receives one of said first control signal and said second control signal, determines whether contents of said operation panel should be changed, and transmits data for changing the contents of said operation panel to said controller if the contents should be changed.

6. A communication apparatus, comprising:
operation panel managing means for managing an operation panel having a plurality of display elements corresponding to predetermined operations and for supplying said operation panel to a controller for accepting an operation for said operation panel;

receiving means for receiving a first control signal indicating that said display element has been operated and a second control signal for specifying any of specific operations from said controller; and

control means for controlling an operation corresponding to said display element to be executed on

the basis of said first control signal and controlling said specific operation to be executed on the basis of said second control signal.

5 7. An apparatus according to claim 6, wherein said operation panel has a hierarchical data structure and said display element has at least one of image data and text data.

10 8. An apparatus according to claim 6, wherein after receiving either said first control signal or said second control signal it is determined whether contents of said operation panel should be changed and data for changing the contents of said operation panel
15 is transmitted to said controller if the contents should be changed.

20 9. An apparatus according to claim 6, wherein said data communication apparatus is a video recorder or a tuner.

10. A communication method, comprising the steps of:

25 supplying an operation panel having a plurality of display elements corresponding to predetermined operations to a controller for accepting an operation for said operation panel; and

receiving a first control signal indicating that any of said display elements has been operated or a second control signal for specifying any of specific operations.

5 wherein a control is made so that an operation corresponding to said display element is executed if said first control signal is received and said specific operation is executed if said second control signal is received.

10

11. A communication apparatus, comprising:

receiving means for receiving a signal from an operation apparatus having a first operation unit for operating an operation panel having a plurality of display elements corresponding to predetermined operations supplied from a controlled device and a second operation unit for specifying specific operations; and

transmitting means for transmitting a first control signal indicating that any of said display elements has been operated on the basis of an operation for said first operation unit to said controlled device and for transmitting a second control signal for specifying any of said specific operations on the basis of an operation for said second operation unit to said controlled device.

12. An apparatus according to claim 11, wherein said operation panel has a hierarchical data structure and said display element has at least one of image data and text data.

5

13. An apparatus according to claim 11, wherein a cursor displayed on said display panel is moved on the basis of the operation for said first operation unit.

10

14. An apparatus according to claim 11, wherein the operation for said second operation unit is accepted even if said display panel is not displayed.

15

15. An apparatus according to claim 11, wherein said data communication apparatus is a digital television set.

20

16. A communication apparatus, comprising:
first operation means for operating an operation panel having a plurality of display elements corresponding to predetermined operations supplied from a controlled device to a controller;

25

second operation means for specifying any of specific operations; and
transmitting means for transmitting a signal indicating that said first operation means has been operated and a signal indicating that said second

5

10